



Dian


CATALOG 2025

Enjoying work, enjoying live


Dian

D'WALKREACT[®]


**75%
IMPACT
ABSORPTION**



**GREATER
PROPULSION
WHILE
WALKING**



**100%
UNIFORMITY
WHILE
WALKING**



**80%
STABILITY
WHILE
WALKING**



**+35,7%
CUSHIONING**



**GREATER
COMFORT**

**LESS
FATIGUE**

**MORE
RELAXATION**

D'WALKREACT[®] the innovative system that enhances **comfort** and **relaxation** while walking. Thanks to **high impact absorption** and **cushioning**, combined with a **uniform** and **stable step**, the footwear **increases propulsion force** while walking, **reduces physical effort**, and helps to **alleviate fatigue** throughout the workday.

TECHNOLOGY:



D'DRY®

Fabric with a high level of breathability. Washable material with excellent temperature regulation and durability. Technology registered and patented by Dian.



D'COVER DRY®

Technical microfiber that is breathable and water-repellent. Washable material with great thermal comfort and high durability. Technology patented and registered by Dian.



D'COVER®

Breathable fabric with excellent temperature regulation. Washable and highly durable. Certified under Standard 100 by OEKO-TEX®. Technology registered and patented by Dian.



D'COVER PLUS®

Technical microfiber that is especially breathable with outstanding temperature regulation. Lightweight, washable, and highly durable. Certified under Standard 100 by OEKO-TEX®. Technology registered and patented by Dian.



D'WALK®

Textile insole mounted on polyurethane foam and recycled material for maximum comfort, featuring enhanced cushioning, anatomical support, and impact absorption properties to reduce fatigue and improve comfort during prolonged use. Technology registered and patented by Dian.



D'LIGHT®

Ultra-lightweight polyurethane sole, optimized through its design, materials, and rigorous mechanical testing, ensuring functional and long-lasting footwear. Incorporates exclusive technology, registered and patented by Dian.



MAXREACT®

Advanced sole cushioning system that provides a high level of comfort and support in the heel area. Composed of a reactive midsole that absorbs impacts and returns energy, improving stability and reducing fatigue during prolonged use. Technology registered and patented by Dian.



DYNERGY®

Cushioning system that provides stability while walking and propulsion with each step.

CERTIFICATIONS:



OEKO-TEX®

Technical microfiber fabric with a transparent polyurethane coating and water-repellent finish. Its certification ensures that harmful substances are avoided at all stages of production, guaranteeing safety and respect for health.



MyREACH

Certifies that a control of restricted substances for footwear has been carried out according to Annex XVII of the REACH Regulation, ensuring they do not contain substances harmful to health or the environment. Certification property and seal by INESCOP.



ANTIVIRAL

Certifies a 99% viral reduction according to ISO:21702:2019 for Human Coronavirus 229E.



ANTIBACTERIAL

Certifies the effectiveness of the antibacterial additive in our footwear according to ISO 16187 with a 99% efficiency rate. The footwear models and/or components are treated with an antibacterial agent that inhibits the growth of the most common bacteria in hospital and food environments. Certification property and seal by INESCOP.



FUNCTIONAL

Thermal comfort with optimal heat regulation and sweat management, correct plantar pressure distribution to prevent injuries, and reduced muscle fatigue during use. Certification property and seal by INESCOP.

SHOE SIZE EQUIVALENCE CHART

EU	mm.	UK	US (MEN)	US (WOMEN)
34	225	3,5	4,5	5,5
35	230	4	5	6
36	235	5	6	7
37	245	5,5	6,5	7,5
38	250	6,5	7,5	8,5
39	255	7,5	8	9,5
40	265	8	9	10
41	270	9	9,5	11
42	275	9,5	10,5	11,5
43	285	10,5	11,5	12,5
44	290	11,5	12,5	13,5
45	295	12	13	14
46	305	13	14	15
47	310	13,5	14,5	15,5
48	315	14	15	16

APPLICABLE REGULATIONS FOR OUR FOOTWEAR:

ISO 20347:2012

Specifies the safety and performance requirements for work footwear not intended for protection against mechanical risks, covering aspects such as slip resistance, energy absorption, and antistatic properties.

OB = Footwear meeting basic requirements for professional use.

O1 = Closed back, antistatic, energy absorption in the heel, treaded sole.

O2 = Closed back, antistatic, energy absorption in the heel, treaded sole, plus water penetration and absorption resistance.

SRA = Slip-resistant on tiles and water with detergent as a lubricant.

SRC = (SRA+SRB) Slip-resistant on tiles and water with detergent as a lubricant + slip-resistant on steel with glycerin as a lubricant.

WRU = Resistance to water penetration and absorption on the upper.

A = Antistatic.

E = Energy absorption in the heel.

FO = Resistance of the sole to hydrocarbons.

ISO 20347:2022

An update to the 2012 standard, specifying the safety, comfort, and performance requirements for work footwear not intended for protection against mechanical risks. It covers essential aspects such as slip resistance on tiles with soap and NaLS, flexibility, breathability, energy absorption, and antistatic properties.

OB = Footwear meeting basic professional use requirements, plus slip resistance on tiles and NaLS.

O1 = Footwear meeting basic professional use requirements, plus slip resistance on tiles and NaLS, closed back, antistatic properties, and energy absorption in the heel.

O2 = Footwear meeting basic professional use requirements, plus slip resistance on tiles and NaLS, closed back, antistatic properties, energy absorption in the heel, and upper resistance to water penetration and absorption.

SR = Slip resistance on ceramic tiles with glycerin.

A = Antistatic.

E = Energy absorption in the heel.

HI = Footwear offering thermal insulation of the sole to reduce temperature increase (below 22 °C) within less than 30 minutes.

CI = Footwear offering thermal insulation of the sole against cold, limiting temperature decrease (below 10 °C) within less than 30 minutes.

FO = Sole resistance to hydrocarbons.

WPA = Upper resistance to water penetration and absorption.

ISO 20345:2022

Standard for safety footwear with protective toe caps, covering aspects such as protection, impact resistance, ergonomics, slip resistance, puncture resistance, and thermal insulation.

SC = Safety footwear with toe caps resistant to an impact energy equivalent to 200 J and compression of 15 kN. Slip resistance on tiles with NaLS.

S1 = Safety footwear with toe caps resistant to an impact energy equivalent to 200 J and compression of 15 kN. Slip resistance on tiles with NaLS, closed back, antistatic properties, and energy absorption in the heel area.

S2 = Safety footwear with toe caps resistant to an impact energy equivalent to 200 J and compression of 15 kN. Slip resistance on tiles with NaLS, closed back, antistatic properties, energy absorption in the heel area, and upper resistance to water penetration and absorption.

S3S = Safety footwear with toe caps resistant to an impact energy equivalent to 200 J and compression of 15 kN. Slip resistance on tiles with NaLS, closed back, antistatic properties, energy absorption in the heel area, upper resistance to water penetration and absorption, plus puncture resistance of the non-metallic midsole type PS, and treaded sole.

SC = Toe cap reinforcement abrasion resistance.

SR = Slip resistance on ceramic tile flooring with glycerin.

HI = Footwear offering thermal insulation of the sole to reduce temperature increase (below 22 °C) within less than 30 minutes.

CI = Footwear offering thermal insulation of the sole against cold, limiting temperature decrease (below 10 °C) within less than 30 minutes.

E = Energy absorption in the heel.

FO = Sole resistance to hydrocarbons.

WPA = Upper resistance to water penetration and absorption.

MODELS



DUNA
p. 1 HEALTH/CATERING



ALICANTE
p. 2 HEALTH/CATERING



ATLANTA
p. 3 HEALTH/CATERING



ALTEA PLUS
p. 4 HEALTH/CATERING



ALTEA PLUS ESTAMPADO
p. 5 HEALTH



CALPE
p. 6 HEALTH/CATERING



CALPE ESTAMPADO
p. 7 HEALTH



VALENCIA PLUS
p. 8 HEALTH/CATERING



VALENCIA PLUS ESTAMPADO
p. 9 HEALTH



SEUL
p. 10 HEALTH/CATERING



SIENA
p. 11 HEALTH/CATERING



SIENA PERFORADO
p. 12 HEALTH/CATERING



SIENA TEX
p. 13 HEALTH/CATERING



CASUAL
p. 14 HEALTH/CATERING



PREMIER
p. 15 HEALTH/CATERING



MARSELLA
p. 16 HEALTH/CATERING



MARSELLA PLUS
p. 17 CATERING



MILÁN-SCL LISO
p. 18 HEALTH/CATERING



MILÁN-SCL PERFORADO
p. 19 HEALTH/CATERING



FLORENCIA PLUS
p. 20 HEALTH/CATERING



1805-LM
p. 21 HEALTH



1807-LM
p. 22 HEALTH



1900
p. 23 HEALTH/CATERING



02-S
p. 24 HEALTH



EVA
p. 25 HEALTH/CATERING



EVA ENJOY
p. 26 HEALTH



EVA PLUS
p. 27 HEALTH/CATERING



EVA SOFT
p. 28 HEALTH/CATERING



EVA ESTAMPADO
p. 29 HEALTH



EVA GREEN
p. 30 HEALTH



BEA-L
p. 31 HEALTH



JAVEA
p. 32 HEALTH/CATERING



JAVEA ESTAMPADO
p. 33 HEALTH/CATERING



MAR
p. 34 HEALTH/CATERING



MAR PERFORADO
p. 35 HEALTH/CATERING



PISA
p. 36 HEALTH/CATERING



PISA CORREA
p. 37 HEALTH/CATERING



1805-PIEL-A
p. 38 HEALTH



NIZA
p. 40 UNIFORM



DINAMIC
p. 41 UNIFORM



RELAX
p. 42 UNIFORM



BERNA
p. 43 UNIFORM



FRANCIA
p. 44 UNIFORM



SALÓN
p. 45 UNIFORM



BAILARINA
p. 46 UNIFORM



MARTA
p. 47 UNIFORM



CONGRESO
p. 48 UNIFORM



GOURMET
p. 49 UNIFORM



CAIRO
p. 51 SECURITY



AITANA
p. 52 SECURITY



SELLA
p. 53 SECURITY



CID
p. 54 SECURITY



FLEXILE PLUS
p. 55 SECURITY



29057 PLUS
p. 56 SECURITY



TEIDE
p. 57 SECURITY/CATERING



EVA PRO
p. 58 SECURITY/CATERING

**Enjoying work,
enjoying live**

Dian

Enjoying work,
enjoying live.



DUNA



COLORS



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347: 2022

PROTECTION O1+SR+FO

Upper: Technical microfiber D'COVER® with breathable recycled padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bicomponent PU foam.

Sole: Ultralight, flexible D'LIGHT® with a TPU anti-slip tread. Safety stitching between outsole and upper.

* These models are available in sizes 35 - 43



D'COVER®



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

ALICANTE



COLORS



White



Gray



Light Blue



Pink*



Beige



Navy



Blue



Black



Burgundy



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347: 2022

PROTECTION O1+SR+FO

Upper: Breathable and liquid-repellent D'COVER DRY® textile. Breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible MAXREACT® made of bi-component polymer material, highly durable and slip-resistant. Safety stitching sole-upper.



* Model in Pink color available in sizes 35 - 44

ATLANTA



COLORS



White



Black



Navy



Blue



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347: 2022

PROTECTION

01+SR

Upper: Breathable and liquid-repellent D'COVER DRY® textile. Breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of an EVA structure and TPU anti-slip plates. Safety stitching sole-upper.



D'COVER DRY®



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

ALTEA PLUS



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347: 2022

PROTECTION

01+SR

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of an EVA structure and TPU anti-slip plates. Safety stitching sole-upper.



STANDARD 100



D'COVER PLUS®



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

ALTEA PLUS ESTAMPADO



COLOR



White



SIZES

35 - 43

REGULATIONS

CE Certification

EN-ISO-20347: 2022

PROTECTION

O1+SR

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of an EVA structure and TPU anti-slip plates. Safety stitching sole-upper.



STANDARD 100



D'COVER PLUS®



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

CALPE



COLORS



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SR+FO

Upper: Breathable and liquid-repellent D'COVER DRY® textile. Recycled, breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible, antibacterial, and slip-resistant SR D'LIGHT® polyurethane. Safety stitching sole-upper.

* Model in Pink color available in sizes 35 - 43



ANTIBACTERIAL



D'COVER DRY®



D'DRY®



D'LIGHT®



CLEANING

CALPE ESTAMPADO



COLOR



White



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SR+FO

Upper: Breathable and liquid-repellent D'COVER DRY® textile. Recycled, breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible, antibacterial, and slip-resistant SR D'LIGHT® polyurethane. Safety stitching sole-upper.



ANTIBACTERIAL



D'COVER DRY®



D'DRY®



D'LIGHT®



CLEANING

VALENCIA PLUS



COLORS



SIZES
35 - 48

REGULATIONS
CE Certification
EN-ISO-20347: 2022
ANTIBACTERIAL **ISO 16187**

PROTECTION
O2+SR+FO

Upper: Breathable and liquid-repellent D'COVER DRY® textile. Recycled, breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible, antibacterial, and slip-resistant SR D'LIGHT® polyurethane. Safety stitching sole-upper.

* Model in Pink color available in sizes 35 - 44



VALENCIA PLUS ESTAMPADO



COLOR



White



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SR+FO

Upper: Breathable and liquid-repellent D'COVER DRY® textile. Recycled, breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible, antibacterial, and slip-resistant SR D'LIGHT® polyurethane. Safety stitching sole-upper.



ANTIBACTERIAL



D'COVER DRY®



D'DRY®



D'LIGHT®



CLEANING

SEUL



COLORS



White



Black



Marino



Beige



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20347: 2022

PROTECTION

O1+SR

Upper:

Breathable and liquid-repellent D'COVER DRY® textile. Breathable padded D'DRY® inner lining.

Insole:

Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole:

Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating and slip-resistant SR. Safety stitching sole-upper.



D'COVER DRY®



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

SIENA



COLORS



White



Black



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347: 2012

ANTIBACTERIAL **ISO 16187**

PROTECTION

O1+SRC+FO

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible, antibacterial, and slip-resistant SR D'LIGHT® polyurethane. Safety stitching sole-upper.



STANDARD 100



ANTIBACTERIAL



D'COVER PLUS®



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

SIENA PERFORADO



COLORS



White



Black



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347: 2012

ANTIBACTERIAL **ISO 16187**

PROTECTION

O1+SRC+FO

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible, antibacterial, and slip-resistant SR D'LIGHT® polyurethane. Safety stitching sole-upper.



STANDARD 100



ANTIBACTERIAL



D'COVER PLUS®



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

SIENA TEX



COLORS



White



Black



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347: 2012

ANTIBACTERIAL **ISO 16187**

PROTECTION

O1+SRC+FO

Upper: BBreathable and liquid-repellent D'COVER DRY® textile. Recycled, breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible, antibacterial, and slip-resistant SR D'LIGHT® polyurethane. Safety stitching sole-upper.



ANTIBACTERIAL



D'COVER DRY®



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

CASUAL



COLORS



White



Black



SIZES

35 - 46

REGULATIONS

CE Certification
EN-ISO-20347: 2022

PROTECTION

01+SR+CI

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible, and slip-resistant SR EVA. Safety stitching sole-upper.



PREMIER



COLORS



White



Navy



SIZES

34 - 48

REGULATIONS

CE Certification
EN-ISO-20347: 2022
ANTIBACTERIAL **ISO 16187**

PROTECTION

O1+SR+CI+HI+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable recycled padded D'DRY® inner lining. Dual closure system.

Insole: Textile over recycled polyurethane foam, with antibacterial treatment and activated carbon.

Sole: Bi-color antibacterial polyurethane with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.

* This model can be worn with either a Velcro closure or laces



MARSELLA



COLORS



White



Black



SIZES

34 - 48

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SR+HI+CI+F0

Upper: Technical microfiber D'COVER® OEKO-TEX® with heel padding to prevent chafing.

Insole: Textile over recycled polyurethane foam, with antibacterial treatment and activated carbon.

Sole: Bi-color antibacterial polyurethane with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.



MARSELLA PLUS



COLOR



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347: 2022

PROTECTION

01+SR+FO

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with heel padding to prevent chafing and breathable recycled padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible MAXREACT® made of bi-component polymer material, highly durable and slip-resistant. Safety stitching sole-upper.



D'COVER PLUS®



D'DRY®



D'WALK®



MAXREACT®



CLEANING

MILÁN-SCL LISO



COLORS



White



Black



SIZES

34 - 48

REGULATIONS

CE Certification
EN-ISO-20347: 2022
ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SR+HI+CI+FO

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Textile over recycled polyurethane foam, with antibacterial treatment and activated carbon.

Sole: Bi-color antibacterial polyurethane with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.



STANDARD
100



FUNCTIONAL



ANTIBACTERIAL



D'COVER PLUS®



D'DRY®



CLEANING

MILÁN-SCL PERFORADO



COLORS



White



Black



SIZES

34 - 48

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O1+SR+HI+CI+FO

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Textile over recycled polyurethane foam, with antibacterial treatment and activated carbon.

Sole: Bi-color antibacterial polyurethane with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.



FLORENCIA PLUS



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347: 2022

PROTECTION O1+SR+FO

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible MAXREACT® made of bi-component polymer material, highly durable and slip-resistant. Safety stitching sole-upper.



STANDARD
100



D'COVER PLUS®



D'DRY®



D'WALK®



MAXREACT®



CLEANING

1805-LM



COLOR



White



SIZES

34 - 48

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O1+SR+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Textile over recycled polyurethane foam, with antibacterial treatment and activated carbon.

Sole: Antibacterial polymer material with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.



1807-LM



COLOR



White



SIZES

35 - 48

REGULATIONS

CE Certification
EN-ISO-20347: 2022

PROTECTION O1+SR+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Textile over recycled polyurethane foam, with antibacterial treatment and activated carbon.

Sole: Antibacterial polymer material with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.



D'COVER®



D'DRY®



1900



COLORS



White



Navy



SIZES

34 - 47

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O1+SR+CI+HI+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable recycled padded D'DRY® inner lining.

Insole: Textile over recycled polyurethane foam, with antibacterial treatment and activated carbon.

Sole: Dual-density antibacterial polyurethane. Safety stitching sole-upper.



02-S



COLORS



White



Green



Blue



Violet

Separate accessory: Gel insole to improve pressure distribution on the foot, enhancing comfort.



SIZES *

33 - 48

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

OB+SR+A+E

Upper: SBS polymer material, antibacterial, anatomical, and anti-static.

Planta: Micro-dots for circulation stimulation.

Sole: High slip-resistant with a high coefficient on dry and wet surfaces, featuring grooved treads to facilitate liquid drainage.

* In this model, SIZES are available in increments of two consecutive numbers (33-34/35-36/...)



EVA



COLORS



White



Black



Light Blue



Pink*



Orange



Navy



Blue



Green



Violet



Burgundy



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

OB+SR+E

Upper: Ultralight, latex-free, anatomical EVA with antibacterial and antiviral properties.

Footbed: Micro-dots for circulation stimulation.

Insole: Textile over recycled PU foam, with antibacterial treatment.

Sole: Slip-resistant with grooved treads to facilitate liquid drainage.

* Pink model available in SIZES 35 - 46



ANTIBACTERIAL



MYREACH



ANTIVIRAL



CLEANING

EVA ENJOY



COLOR



White



SIZES

35 - 46

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

OB+SR+E

Upper: Ultralight, latex-free, anatomical EVA with antibacterial and antiviral properties.

Footbed: Micro-dots for circulation stimulation.

Insole: Textile over recycled PU foam, with antibacterial treatment.

Sole: Slip-resistant with grooved treads to facilitate liquid drainage.



ANTIBACTERIAL



MYREACH



ANTIVIRAL



CLEANING

EVA PLUS



COLORS



White



Black



Blue



Violet



SIZES

35 - 46

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

OB+SR+E

Upper: Ultralight, latex-free, anatomical EVA with antibacterial and antiviral properties.

Footbed: Micro-dots for circulation stimulation.

Insole: Textile over recycled PU foam, with antibacterial treatment.

Sole: EVA + TPU pads with a cell-pattern design to facilitate liquid drainage.



ANTIBACTERIAL



MYREACH



ANTIVIRAL



CLEANING

EVA SOFT



COLORS



White



Black



Green



Pink



Violet



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

OB+SR+E

Upper: Ultralight, latex-free, anatomical EVA with antibacterial and antiviral properties.

Footbed: Removable PU with high energy return while walking, covered with D'DRY® fabric.

Sole: Slip-resistant with grooved treads to facilitate liquid drainage.



ANTIBACTERIAL



MYREACH



ANTIVIRAL



D'DRY®



CLEANING

EVA ESTAMPADO



COLOR



White



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

OB+SR+E

Upper: Ultralight, latex-free, anatomical EVA with antibacterial and antiviral properties.

Footbed: Micro-dots for circulation stimulation.

Insole: Textile over recycled PU foam, with antibacterial treatment.

Sole: Slip-resistant with grooved treads to facilitate liquid drainage.



EVA GREEN



COLOR



White



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

OB+SR+E

Upper: **RECYCLED EVA**, antibacterial and antiviral, ultralight, latex-free, and anatomical.

Footbed: Micro-dots for circulation stimulation.

Insole: Textile over recycled PU foam, with antibacterial treatment.

Sole: Slip-resistant with grooved treads to facilitate liquid drainage.



ANTIBACTERIAL



MYREACH



ANTIVIRAL



CLEANING

BEA-L



COLOR



White



SIZES

34 - 48

REGULATIONS

CE Certification

EN-ISO-20347: 2012

ANTIBACTERIAL **ISO 16187**

PROTECTION

SRA+FO+E+OB+A

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable recycled D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Bi-color antibacterial polyurethane with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.



JAVEA



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347: 2022

PROTECTION

OB+A+E+SR+FO

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible MAXREACT® made of bi-component polymer material, highly durable and slip-resistant. Safety stitching sole-upper.



STANDARD 100



D'COVER PLUS®



D'DRY®



D'WALK®



MAXREACT®



CLEANING

JAVEA ESTAMPADO



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20347: 2022

PROTECTION

OB+A+E+SR+FO

Upper: Technical microfiber D'COVER PLUS® OEKO-TEX® with breathable padded D'DRY® inner lining.

Insole: Cushioned D'WALK® made of recycled textile material over bi-component PU foam.

Sole: Ultralight, flexible MAXREACT® made of bi-component polymer material, highly durable and slip-resistant. Safety stitching sole-upper.



STANDARD
100



D'COVER PLUS®



D'DRY®



D'WALK®



MAXREACT®



CLEANING

MAR



COLORS



White



Black



Green



Fuchsia



Light Blue



Navy



SIZES

35 - 46

REGULATIONS

CE Certification

EN-ISO-20347: 2022

PROTECTION

OB+SR+E+WPA+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable D'DRY® inner lining.

Insole: Microfiber over PU foam, anatomical, with antibacterial treatment.

Sole: Bi-component polyurethane and TPU, antibacterial, with a honeycomb-patterned tread for improved grip.



D'COVER®



D'DRY®

MAR PERFORADO



COLORS



White



Black



SIZES

35 - 46

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

OB+SR+E+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable D'DRY® inner lining.

Insole: Microfiber over PU foam, anatomical, with antibacterial treatment.

Sole: Bi-component polyurethane and TPU, antibacterial, with a honeycomb-patterned tread for improved grip.



D'COVER®



D'DRY®

PISA



COLORS



White



Navy



SIZES

34 - 47

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

OB+E+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with instep padding to prevent chafing.

Insole: Microfiber over PU foam, anatomical, with antibacterial treatment.

Sole: Microfiber over PU foam, anatomical, with antibacterial treatment.



PISA CORREA



COLORS



White



Navy



SIZES

34 - 47

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

OB+E+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with instep padding to prevent chafing.

Insole: Microfiber over PU foam, anatomical, with antibacterial treatment.

Sole: Microfiber over PU foam, anatomical, with antibacterial treatment.



1805-PIEL-A



COLOR



White



SIZES

35 - 46

REGULATIONS

CE Certification
EN-ISO-20347: 2012
ANTIBACTERIAL **ISO 16187**

PROTECTION

SRC+E+OB+WRU

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable D'DRY® inner lining.

Insole: Microfiber over PU foam, anatomical, with antibacterial treatment.

Sole: Antibacterial polymer material with grooved treads to facilitate liquid drainage. Safety stitching sole-upper.



D'COVER®



A person is sitting on a chair, wearing dark blue trousers, grey socks, and black leather shoes. The person's legs are crossed at the ankles, with the right leg resting on the left. The background is a plain, light-colored wall.

Dian

Enjoying work,
enjoying live.

NIZA



COLOR



Black



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SR+HI+CI+F0

Upper: Breathable technical microfiber D'COVER® OEKO-TEX® with heel padding to prevent chafing and slipping.

Insole: Cushioned textile over recycled PU foam with antibacterial treatment.

Sole: Polyurethane with grooved treads to facilitate liquid drainage, thermally insulating, antibacterial, and slip-resistant (SR). Safety stitching sole-upper.



STANDARD
100



ANTIBACTERIAL



D'COVER®



CLEANING

DINAMIC



COLOR



Black



SIZES

35 - 42

REGULATIONS

CE Certification

EN-ISO-20347: 2022

PROTECTION

O2+SR+FO

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Textile over thermoformed polyurethane foam with antibacterial treatment and activated carbon.

Sole: DYNERGY® EVA, highly durable and slip-resistant, featuring a cushioning system for stability and enhanced step propulsion.



ANTIBACTERIAL



D'COVER PLUS®



D'DRY®



DYNERGY®

RELAX



COLOR



Black



SIZES

35 - 42

REGULATIONS

CE Certification
EN-ISO-20347: 2012

PROTECTION

O2+SRA+FO

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Textile over polyurethane foam with antibacterial treatment and activated carbon.

Sole: Slip-resistant polyurethane.



BERNA



COLOR



Black



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SR+HI+CI+F0

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Cushioned D'WALK® made of textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR). Safety stitching sole-upper.



ANTIBACTERIAL



D'COVER PLUS®



D'DRY®



D'LIGHT®



CLEANING

FRANCIA



COLOR



Black



SIZES

39 - 46

REGULATIONS

CE Certification

EN-ISO-20347: 2012

PROTECTION

O2+SRC

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Cushioned D'WALK® made of textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of a thermally insulating EVA structure and slip-resistant SRC.



D'COVER PLUS®



D'DRY®



D'LIGHT®

SALÓN



COLOR



Black



SIZES

35 - 42

REGULATIONS

CE Certification
EN-ISO-20347: 2012

PROTECTION

O2+SRC+FO

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Textile over polyurethane foam with antibacterial treatment and activated carbon.

Sole: Dual-density polyurethane and TPU, slip-resistant.



D'COVER PLUS®



D'DRY®

BAILARINA



COLOR



Black



SIZES

35 - 42

REGULATIONS

CE Certification

Categoría I

PROTECTION

SRA

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Textile over polyurethane foam with antibacterial treatment and activated carbon.

Sole: Slip-resistant TPU.



MARTA



COLOR



Black



SIZES

35 - 42

REGULATIONS

CE Certification

Categoría I

PROTECTION

SRA

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Textile over polyurethane foam with antibacterial treatment and activated carbon.

Sole: Slip-resistant polyurethane.



CONGRESO



COLOR



Black



SIZES

35 - 48

REGULATIONS

CE Certification

EN-ISO-20347: 2012

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SRA+FO

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Textile over polyurethane foam with antibacterial treatment and activated carbon.

Sole: Dual-density polyurethane, slip-resistant and antibacterial. Safety stitching sole-upper..



ANTIBACTERIAL



D'COVER PLUS®



D'DRY®



CLEANING

GOURMET



COLOR



Black



SIZES

35 - 50

REGULATIONS

CE Certification

EN-ISO-20347: 2012

ANTIBACTERIAL **ISO 16187**

PROTECTION

O2+SRA+FO

Upper: Technical microfiber D'COVER PLUS® with breathable textile D'DRY® inner lining.

Insole: Textile over polyurethane foam with antibacterial treatment and activated carbon.

Sole: Dual-density polyurethane, slip-resistant and antibacterial. Safety stitching sole-upper.



ANTIBACTERIAL



D'COVER PLUS®



D'DRY®



CLEANING



Dian

Enjoying work,
enjoying live.

CAIRO



COLOR



Black



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20345: 2022

PROTECTION

S3S+SR+HI+CI+FO

Upper: Breathable technical fabric with high-tenacity fibers, highly resistant to abrasion, reinforced toe cap and side, padded ankle collar, and breathable textile D'DRY® inner lining.

Puntera: SECURITY composite toe cap resistant to 200J and textile anti-puncture midsole.

Insole: Cushioned D'WALK® made of textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR).



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

AITANA



COLOR



Black



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20345: 2022

PROTECTION

S3S+SR+HI+CI+F0

Upper: Breathable technical fabric with high-tenacity fibers, highly resistant to abrasion, reinforced toe cap and side, padded ankle collar, and breathable textile D'DRY® inner lining.

Puntera: SECURITY composite toe cap resistant to 200J and textile anti-puncture midsole.

Insole: Cushioned D'WALK® made of textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR).



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

SELLA



COLORS



Black



Gray



Navy



Blue



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20345: 2022

PROTECTION

S3S+SR+HI+CI+FO

Upper: Breathable technical fabric with high-tenacity fibers, highly resistant to abrasion, padded ankle collar, and breathable textile D'DRY® inner lining.

Puntera: SECURITY composite toe cap resistant to 200J and textile anti-puncture midsole.

Insole: Cushioned D'WALK® made of textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR).



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

CID



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20345: 2022

PROTECTION

S3S+SR+HI+CI+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable textile D'DRY® inner lining.

Puntera: SECURITY composite toe cap resistant to 200J and textile anti-puncture midsole.

Insole: Cushioned D'WALK® made of textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR).



FLEXILE PLUS



COLOR



Black



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20345: 2022

PROTECTION

S3S+SR+HI+CI+FO+SC

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable textile D'DRY® inner lining and neoprene-style ankle collar. Abrasion-resistant toe cap.

Puntera: SECURITY composite toe cap resistant to 200J and textile anti-puncture midsole.

Insole: Cushioned D'WALK® made of textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR).



29057 PLUS



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification
EN-ISO-20345: 2022

PROTECTION

S2+SR+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable textile D'DRY® inner lining. Adjustable with elastic band.

Puntera: SECURITY composite toe cap resistant to 200J.

Insole: Cushioned D'WALK® made of textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR).



D'COVER®



D'DRY®



D'WALK®



D'LIGHT®



CLEANING

TEIDE



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20345: 2022

PROTECTION

SB+SR+A+HI+E+WPA+FO

Upper: Technical microfiber D'COVER® OEKO-TEX® with breathable textile D'DRY® inner lining. Adjustable with elastic bands and a foldable strap.

Puntera: SECURITY composite toe cap resistant to 200J.

Insole: Cushioned D'WALK® made of textile material over bi-component PU foam.

Sole: Ultralight, flexible D'LIGHT® composed of a PU structure, thermally insulating, and slip-resistant (SR).



EVA PRO



COLORS



White



Black



SIZES

35 - 47

REGULATIONS

CE Certification

EN-ISO-20345: 2022

ANTIBACTERIAL **ISO 16187**

PROTECTION

SB+SR+E

Upper: Antibacterial, latex-free EVA, monocoque design, without perforations.

Toe Cap: SECURITY composite toe cap resistant to 200J.

Insole: Cushioned D'WALK® made of textile material over bi-component PU foam.

Sole: Ultralight, flexible, composed of an EVA structure and a rubber tread with slip-resistant SR cell pattern.



ANTIBACTERIAL



MYREACH



D'WALK®



CLEANING

Dian

Enjoying work,
enjoying live.



Dian

DIVISIÓN ANATÓMICOS, S.L.

C/ Persianas, · 8 Apdo. 145
03630 Sax (Alicante) SPAIN
T. +34 965 475 626 +34 902 929 860
F. +34 966 968 988

dian@dian.es
www.dian.es

